

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 157.3010	300	300	405	210	210	355	280	75	2	4,1	--
HDPE 341.3010	400	400	405	310	310	355	280	75	2	6,2	--
HDPE 597.3010	500	500	405	410	410	355	280	75	2	8,1	--
HDPE 523.2010	600	500	300	510	410	250	180	70	2	8,4	--
HDPE 732.3010	600	500	400	510	410	350	280	70	2	9,3	--
HDPE 795.2023	600	500	430	510	410	380	180	200	4	10,5	--
HDPE 941.4010	600	500	500	510	410	450	380	70	2	10,7	--
HDPE 1004.3023	600	500	530	510	410	480	280	200	4	11,5	--
HDPE 1150.5010	600	500	600	510	410	550	480	70	2	12,0	--
HDPE 1213.2043	600	500	630	510	410	580	180	400	4	12,9	--
HDPE 1213.4023	600	500	630	510	410	580	380	200	4	12,8	--
HDPE 1422.3043	600	500	730	510	410	680	280	400	4	13,9	--
HDPE 1422.5023	600	500	730	510	410	680	480	200	4	14,1	--
HDPE 1422.4043	600	500	830	510	410	780	380	400	4	15,2	--
HDPE 1840.5043	600	500	930	510	410	880	480	400	4	16,5	--
HDPE 949.2012	700	700	325	610	610	255	180	75	4	13,7	--
HDPE 949.2012W	700	700	325	610	610	255	180	75	4	14,3	Rollen
HDPE 1321.3012	700	700	425	610	610	355	280	75	4	15,2	--
HDPE 1321.3012W	700	700	425	610	610	355	280	75	4	15,8	Rollen
HDPE 1749.2034	700	700	540	610	610	470	180	290	8	18,5	--
HDPE 1749.2034W	700	700	540	610	610	470	180	290	8	19,1	Rollen
HDPE 1749.3024	700	700	540	610	610	470	280	190	8	18,5	--
HDPE 1749.3024W	700	700	540	610	610	470	280	190	8	19,1	Rollen
HDPE 561.2010	800	400	305	710	310	255	180	75	2	9,0	--
HDPE 561.2010W	800	400	305	710	310	255	180	75	2	9,6	Rollen
HDPE 781.3010	800	400	405	710	310	355	280	75	2	10,0	--
HDPE 781.3010W	800	400	405	710	310	355	280	75	2	10,6	Rollen
HDPE 1033.3010	800	500	405	710	410	355	280	75	2	11,6	--



HDPE 157.3010



HDPE 1150.5010



HDPE 561.2010W

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 1033.3010W	800	500	405	710	410	355	280	75	2	12,2	Rollen
HDPE 1325.4010	800	500	505	710	410	455	380	75	2	12,8	--
HDPE 1325.4010W	800	500	505	710	410	455	380	75	2	13,4	Rollen
HDPE 923.2012	800	600	325	710	510	255	180	75	4	13,6	--
HDPE 923.2012W	800	600	325	710	510	255	180	75	4	14,2	Rollen
HDPE 1050.1125	800	600	360	710	510	290	90	200	4	14,7	--
HDPE 1285.3012	800	600	425	710	510	355	280	75	4	14,8	--
HDPE 1285.3012W	800	600	425	710	510	355	280	75	4	15,4	Rollen
HDPE 1376.2025	800	600	450	710	510	380	180	200	8	17,0	--
HDPE 1376.2025W	800	600	450	710	510	380	180	200	8	17,6	Rollen
HDPE 1648.4012	800	600	525	710	510	455	380	75	4	16,6	--
HDPE 1648.4012W	800	600	525	710	510	455	380	75	4	17,2	Rollen
HDPE 1738.3025	800	600	550	710	510	480	280	200	8	18,2	--
HDPE 1738.3025W	800	600	550	710	510	480	280	200	8	18,8	Rollen
HDPE 1774.1145	800	600	560	710	510	490	90	400	4	17,8	--
HDPE 2100.5012	800	600	625	710	510	555	480	75	4	17,6	--
HDPE 2100.5012W	800	600	625	710	510	555	480	75	4	18,2	Rollen
HDPE 2100.2045	800	600	650	710	510	580	180	400	8	20,1	--
HDPE 2100.2045W	800	600	650	710	510	580	180	400	8	20,7	Rollen
HDPE 2100.4025	800	600	650	710	510	580	380	200	8	20,0	--
HDPE 2100.4025W	800	600	650	710	510	580	380	200	8	20,6	Rollen
HDPE 2462.3045	800	600	750	710	510	680	280	400	8	21,3	--
HDPE 2462.3045W	800	600	750	710	510	680	280	400	8	21,9	Rollen
HDPE 2462.5025	800	600	750	710	510	680	480	200	8	21,0	--
HDPE 2462.5025W	800	600	750	710	510	680	480	200	8	21,6	Rollen
HDPE 2824.4025	800	600	850	710	510	780	380	400	8	23,1	--
HDPE 2824.4025W	800	600	850	710	510	780	380	400	8	23,7	Rollen
HDPE 3186.5045	800	600	950	710	510	880	480	400	8	24,1	--



HDPE 1376.2025



HDPE 2100.4025



HDPE 2462.5025W

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 3186.5045W	800	600	950	710	510	880	480	400	8	24,7	Rollen
HDPE 1104.2012	800	700	325	710	610	255	180	75	4	15,1	--
HDPE 1104.2012W	800	700	325	710	610	255	180	75	4	15,7	Rollen
HDPE 1538.3012	800	700	425	710	610	355	280	75	4	16,7	--
HDPE 1538.3012W	800	700	425	710	610	355	280	75	4	17,3	Rollen
HDPE 1971.4012	800	700	525	710	610	455	380	75	4	18,2	--
HDPE 1971.4012W	800	700	525	710	610	455	380	75	4	18,8	Rollen
HDPE 2036.2034	800	700	540	710	610	470	180	290	8	20,1	--
HDPE 2036.2034W	800	700	540	710	610	470	180	290	8	20,7	Rollen
HDPE 2036.3024	800	700	540	710	610	470	280	190	8	20,1	--
HDPE 2036.3024W	800	700	540	710	610	470	280	190	8	20,7	Rollen
HDPE 2469.2044	800	700	640	710	610	570	180	390	8	21,7	--
HDPE 2469.2044W	800	700	640	710	610	570	180	390	8	22,3	Rollen
HDPE 2469.4024	800	700	640	710	610	570	380	190	8	21,6	--
HDPE 2469.4024W	800	700	640	710	610	570	380	190	8	21,6	Rollen
HDPE 2837.6012	800	700	725	710	610	655	580	75	4	24,1	--
HDPE 2837.6012W	800	700	725	710	610	655	580	75	4	24,7	Rollen
HDPE 2902.3044	800	700	740	710	610	670	280	390	8	23,3	--
HDPE 2902.3044W	800	700	740	710	610	670	280	390	8	23,9	Rollen
HDPE 2902.4034	800	700	740	710	610	670	380	290	8	23,2	--
HDPE 2902.4034W	800	700	740	710	610	670	380	290	8	23,8	Rollen
HDPE 3335.2064	800	700	840	710	610	770	180	590	8	25,0	--
HDPE 3335.2064W	800	700	840	710	610	770	180	590	8	25,6	Rollen
HDPE 3335.6024	800	700	840	710	610	770	580	190	8	27,5	--
HDPE 3335.6024W	800	700	840	710	610	770	580	190	8	28,1	Rollen
HDPE 3768.3064	800	700	940	710	610	870	280	590	8	26,6	--
HDPE 3768.3064W	800	700	940	710	610	870	280	590	8	27,2	Rollen
HDPE 3768.6034	800	700	940	710	610	870	580	290	8	29,1	--



HDPE 1104.2012




HDPE 2036.2034W



HDPE 3335.6024

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 3768.6034W	800	700	940	710	610	870	580	290	8	29,7	Rollen
HDPE 4201.4064	800	700	1040	710	610	970	380	590	8	28,1	--
HDPE 4201.4064W	800	700	1040	710	610	970	380	590	8	28,7	Rollen
HDPE 4201.6044	800	700	1040	710	610	970	580	390	8	30,7	--
HDPE 4201.6044W	800	700	1040	710	610	970	580	390	8	31,3	Rollen
HDPE 1285.2012	800	800	325	710	710	255	180	75	4	17,8	--
HDPE 1285.2012W	800	800	325	710	710	255	180	75	4	18,4	Rollen
HDPE 1991.3412	800	800	465	710	710	395	320	75	4	20,2	--
HDPE 1991.3412W	800	800	465	710	710	395	320	75	4	20,8	Rollen
HDPE 2798.5012	800	800	625	710	710	555	480	75	4	23,1	--
HDPE 2798.5012W	800	800	625	710	710	555	480	75	4	23,7	Rollen
HDPE 3302.6012	800	800	725	710	710	655	580	75	4	27,9	--
HDPE 3302.6012W	800	800	725	710	710	655	580	75	4	28,5	Rollen
HDPE 3377.2054	800	800	740	710	710	670	180	490	8	26,1	--
HDPE 3377.2054W	800	800	740	710	710	670	180	490	8	26,7	Rollen
HDPE 3377.5024	800	800	740	710	710	670	480	190	8	26,1	--
HDPE 3377.5024W	800	800	740	710	710	670	480	190	8	26,7	Rollen
HDPE 3503.6412	800	800	765	710	710	695	620	75	4	28,7	--
HDPE 3503.6412W	800	800	765	710	710	695	620	75	4	29,3	Rollen
HDPE 4008.7412	800	800	865	710	710	795	720	75	4	30,8	--
HDPE 4008.7412W	800	800	865	710	710	795	720	75	4	31,4	Rollen
HDPE 4083.2068	800	800	880	710	710	810	180	630	8	31,9	--
HDPE 4083.2068W	800	800	880	710	710	810	180	630	8	32,5	Rollen
HDPE 4083.3454	800	800	880	710	710	810	320	490	8	28,5	--
HDPE 4083.3454W	800	800	880	710	710	810	320	490	8	29,1	Rollen
HDPE 4083.5038	800	800	880	710	710	810	480	330	8	28,5	--
HDPE 4083.5038W	800	800	880	710	710	810	480	330	8	29,1	Rollen
HDPE 4083.6424	800	800	880	710	710	810	620	190	8	31,7	--
HDPE 4083.6424W	800	800	880	710	710	810	620	190	8	32,3	Rollen



HDPE 3335.2064W



HDPE 2798.5012



HDPE 4008.7412

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 4789.3468	800	800	1020	710	710	950	320	630	8	34,3	--
HDPE 4789.3468W	800	800	1020	710	710	950	320	630	8	34,9	Rollen
HDPE 4789.6438	800	800	1020	710	710	950	620	330	8	34,1	--
HDPE 4789.6438W	800	800	1020	710	710	950	620	330	8	34,7	Rollen
HDPE 4814.9012	800	800	1025	710	710	955	880	75	4	34,4	--
HDPE 4814.9012W	800	800	1025	710	710	955	880	75	4	34,4	Rollen
HDPE 5394.2094	800	800	1140	710	710	1070	180	890	8	37,4	--
HDPE 5394.2094W	800	800	1140	710	710	1070	180	890	8	38,0	Rollen
HDPE 5394.6054	800	800	1140	710	710	1070	580	490	8	36,2	--
HDPE 5394.6054W	800	800	1140	710	710	1070	580	490	8	36,8	Rollen
HDPE 5394.9024	800	800	1140	710	710	1070	880	190	8	37,4	--
HDPE 5394.9024W	800	800	1140	710	710	1070	880	190	8	38,0	Rollen
HDPE 5520.10412	800	800	1165	710	710	1095	1020	75	4	37,3	--
HDPE 5520.10412W	800	800	1165	710	710	1095	1020	75	4	37,9	Rollen
HDPE 6100.20108	800	800	1280	710	710	1210	180	1030	8	40,3	--
HDPE 6100.20108W	800	800	1280	710	710	1210	180	1030	8	40,9	Rollen
HDPE 6100.3494	800	800	1280	710	710	1210	320	890	8	39,8	--
HDPE 6100.3494W	800	800	1280	710	710	1210	320	890	8	40,4	Rollen
HDPE 6100.5078	800	800	1280	710	710	1210	480	730	8	39,2	--
HDPE 6100.5078W	800	800	1280	710	710	1210	480	730	8	39,8	Rollen
HDPE 6100.6068	800	800	1280	710	710	1210	580	630	8	42,0	--
HDPE 6100.6068W	800	800	1280	710	710	1210	580	630	8	42,6	Rollen
HDPE 6100.6464	800	800	1280	710	710	1210	620	590	8	41,9	--
HDPE 6100.6464W	800	800	1280	710	710	1210	620	590	8	42,5	Rollen
HDPE 6100.7454	800	800	1280	710	710	1210	720	490	8	39,1	--
HDPE 6100.7454W	800	800	1280	710	710	1210	720	490	8	39,7	Rollen
HDPE 6100.9038	800	800	1280	710	710	1210	880	330	8	39,8	--
HDPE 6100.9038W	800	800	1280	710	710	1210	880	330	8	40,6	Rollen
HDPE 6100.10424	800	800	1280	710	710	1210	1020	190	8	40,3	--



HDPE 4814.9012W



HDPE 6100.6464



HDPE 6100.6464W

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 6100.10424W	800	800	1280	710	710	1210	1020	190	8	40,9	Rollen
HDPE 891.3010	900	400	405	810	310	355	280	75	2	11,0	--
HDPE 891.3010W	900	400	405	810	310	355	280	75	2	11,6	Rollen
HDPE 648.1410	900	500	245	810	410	195	120	75	2	10,8	--
HDPE 648.1410W	900	500	245	810	410	195	120	75	2	11,4	Rollen
HDPE 1179.3010	900	500	405	810	410	355	280	75	2	12,6	--
HDPE 1179.3010W	900	500	405	810	410	355	280	75	2	13,2	Rollen
HDPE 1511.4010	900	500	505	810	410	455	380	75	2	14,4	--
HDPE 1511.4010W	900	500	505	810	410	455	380	75	2	15,0	Rollen
HDPE 1378.1432	900	500	465	810	410	415	120	295	4	14,4	--
HDPE 1378.1432W	900	500	465	810	410	415	120	295	4	15,0	Rollen
HDPE 1710.1442	900	500	565	810	410	515	120	395	4	17,3	--
HDPE 1710.1442W	900	500	565	810	410	515	120	395	4	17,9	Rollen
HDPE 1910.3032	900	500	625	810	410	575	280	295	4	16,1	--
HDPE 1910.3032W	900	500	625	810	410	575	280	295	4	16,7	Rollen
HDPE 2242.4032	900	500	725	810	410	675	380	295	4	17,9	--
HDPE 2242.4032W	900	500	725	810	410	675	380	295	4	18,5	Rollen
HDPE 2242.3042	900	500	725	810	410	675	280	395	4	17,5	--
HDPE 2242.3042W	900	500	725	810	410	675	280	395	4	18,1	Rollen
HDPE 1053.2012	900	600	325	810	510	255	180	75	4	14,2	--
HDPE 1053.2012W	900	600	325	810	510	255	180	75	4	14,8	Rollen
HDPE 1467.3012	900	600	425	810	510	355	280	75	4	15,5	--
HDPE 1467.3012W	900	600	425	810	510	355	280	75	4	16,1	Rollen
HDPE 1570.2025	900	600	450	810	510	380	180	200	8	17,9	--
HDPE 1570.2025W	900	600	450	810	510	380	180	200	8	18,5	Rollen
HDPE 1880.4012	900	600	525	810	510	455	380	75	4	17,2	--
HDPE 1880.4012W	900	600	525	810	510	455	380	75	4	17,2	Rollen



HDPE 891.3010




HDPE 1710.1442



HDPE 1570.2025

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 1983.3025	900	600	550	810	510	480	280	200	8	19,2	--
HDPE 1983.3025W	900	600	550	810	510	480	280	200	8	19,8	Rollen
HDPE 2293.5012	900	600	625	810	510	555	480	75	4	18,5	--
HDPE 2293.5012W	900	600	625	810	510	555	480	75	4	19,1	Rollen
HDPE 2296.2045	900	600	650	810	510	580	180	400	8	21,2	--
HDPE 2296.2045W	900	600	650	810	510	580	180	400	8	21,8	Rollen
HDPE 2396.4025	900	600	650	810	510	580	380	200	8	20,9	--
HDPE 2396.4025W	900	600	650	810	510	580	380	200	8	21,5	Rollen
HDPE 2809.3045	900	600	750	810	510	680	280	400	8	22,5	--
HDPE 2809.3045W	900	600	750	810	510	680	280	400	8	23,1	Rollen
HDPE 2809.5025	900	600	750	810	510	680	480	200	8	22,2	--
HDPE 2809.5025W	900	600	750	810	510	680	480	200	8	22,8	Rollen
HDPE 3222.4045	900	600	850	810	510	780	380	400	8	24,2	--
HDPE 3222.4045W	900	600	850	810	510	780	380	400	8	24,8	Rollen
HDPE 3635.5045	900	600	950	810	510	880	480	400	8	25,5	--
HDPE 3635.5045W	900	600	950	810	510	880	480	400	8	26,1	Rollen
HDPE 1260.2012	900	700	325	810	610	255	180	75	4	16,6	--
HDPE 1260.2012W	900	700	325	810	610	255	180	75	4	17,2	Rollen
HDPE 1754.3012	900	700	425	810	610	355	280	75	4	18,3	--
HDPE 1754.3012W	900	700	425	810	610	355	280	75	4	18,9	Rollen
HDPE 2248.4012	900	700	525	810	610	455	380	75	4	20,0	--
HDPE 2248.4012W	900	700	525	810	610	455	380	75	4	20,6	Rollen
HDPE 2322.2034	900	700	540	810	610	470	180	290	8	22,0	--
HDPE 2322.2034W	900	700	540	810	610	470	180	290	8	22,6	Rollen
HDPE 2322.3024	900	700	540	810	610	470	280	190	8	22,0	--
HDPE 2322.3024W	900	700	540	810	610	470	280	190	8	22,6	Rollen
HDPE 2816.2044	900	700	640	810	610	570	180	390	8	23,7	--
HDPE 2816.2044W	900	700	640	810	610	570	180	390	8	24,3	Rollen
HDPE 2816.4024	900	700	640	810	610	570	380	190	8	23,7	--



HDPE 2296.2045W



HDPE 3222.4045



HDPE 1754.3012

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 2816.4024W	900	700	640	810	610	570	380	190	8	24,3	Rollen
HDPE 3236.6012	900	700	725	810	610	655	580	75	4	26,4	--
HDPE 3236.6012W	900	700	725	810	610	655	580	75	4	27,0	Rollen
HDPE 3310.3044	900	700	740	810	610	670	280	390	8	25,4	--
HDPE 3310.3044W	900	700	740	810	610	670	280	390	8	26,0	Rollen
HDPE 3310.4034	900	700	740	810	610	670	380	290	8	25,4	--
HDPE 3310.4034W	900	700	740	810	610	670	380	290	8	26,0	Rollen
HDPE 3805.2064	900	700	840	810	610	770	180	590	8	27,2	--
HDPE 3805.2064W	900	700	840	810	610	770	180	590	8	27,8	Rollen
HDPE 3805.6024	900	700	840	810	610	770	580	190	4	30,1	--
HDPE 3805.6024W	900	700	840	810	610	770	580	190	4	30,7	Rollen
HDPE 4299.3064	900	700	940	810	610	870	280	590	8	28,9	--
HDPE 4299.3064W	900	700	940	810	610	870	280	590	8	29,5	Rollen
HDPE 4299.6034	900	700	940	810	610	870	580	290	8	31,8	--
HDPE 4299.6034W	900	700	940	810	610	870	580	290	8	32,4	Rollen
HDPE 4793.4064	900	700	1040	810	610	970	380	590	8	30,6	--
HDPE 4793.4064W	900	700	1040	810	610	970	380	590	8	31,0	Rollen
HDPE 4793.6044	900	700	1040	810	610	970	580	390	8	33,5	--
HDPE 4793.6044W	900	700	1040	810	610	970	580	390	8	34,1	Rollen
HDPE 5781.6064	900	700	1240	810	610	1170	580	590	8	37,0	--
HDPE 5781.6064W	900	700	1240	810	610	1170	580	590	8	37,6	Rollen
HDPE 3192.5012	900	800	625	810	710	555	480	75	4	25,2	--
HDPE 3192.5012W	900	800	625	810	710	555	480	75	4	25,8	Rollen
HDPE 1001.3010	1000	400	405	910	310	355	280	75	2	12,1	--
HDPE 1001.3010W	1000	400	405	910	310	355	280	75	2	12,7	Rollen
HDPE 1325.3010	1000	500	405	910	410	355	280	75	2	13,8	--
HDPE 1325.3010W	1000	500	405	910	410	355	280	75	2	14,4	Rollen
HDPE 1183.2012	1000	600	325	910	510	255	180	75	4	16,5	--
HDPE 1183.2012W	1000	600	325	910	510	255	180	75	4	17,1	Rollen



HDPE 3805.6024



HDPE 4299.6034



HDPE 1001.3010

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 1648.3012	1000	600	425	910	510	355	280	75	4	17,7	--
HDPE 1648.3012W	1000	600	425	910	510	355	280	75	4	18,3	Rollen
HDPE 1764.2025	1000	600	450	910	510	380	180	200	8	19,9	--
HDPE 1764.2025W	1000	600	450	910	510	380	180	200	8	20,5	Rollen
HDPE 2228.3025	1000	600	450	910	510	480	280	200	8	21,1	--
HDPE 2228.3025W	1000	600	450	910	510	480	280	200	8	21,7	Rollen
HDPE 2112.4012	1000	600	525	910	510	455	380	75	4	20,0	--
HDPE 2112.4012W	1000	600	525	910	510	455	380	75	4	20,6	Rollen
HDPE 2692.2045	1000	600	650	910	510	580	180	400	8	23,4	--
HDPE 2692.2045W	1000	600	650	910	510	580	180	400	8	24,0	Rollen
HDPE 2692.4025	1000	600	650	910	510	580	380	200	8	23,4	--
HDPE 2692.4025W	1000	600	650	910	510	580	380	200	8	24,0	Rollen
HDPE 2576.5012	1000	600	625	910	510	555	480	75	4	20,7	--
HDPE 2576.5012W	1000	600	625	910	510	555	480	75	4	21,3	Rollen
HDPE 3156.3045	1000	600	750	910	510	680	280	400	8	24,6	--
HDPE 3156.3045W	1000	600	750	910	510	680	280	400	8	25,2	Rollen
HDPE 3156.5025	1000	600	750	910	510	680	480	200	8	24,1	--
HDPE 3156.5025W	1000	600	750	910	510	680	480	200	8	24,7	Rollen
HDPE 3620.4045	1000	600	850	910	510	780	380	400	8	26,9	--
HDPE 3620.4045W	1000	600	850	910	510	780	380	400	8	27,5	Rollen
HDPE 4084.5045	1000	600	950	910	510	880	480	400	8	27,6	--
HDPE 4084.5045W	1000	600	950	910	510	880	480	400	8	28,2	Rollen
HDPE 3586.5012	1000	800	625	910	710	555	480	75	4	27,2	--
HDPE 3586.5012W	1000	800	625	910	710	555	480	75	4	27,8	Rollen
HDPE 2580.3013	1000	900	430	910	810	350	265	85	4	29,6	--
HDPE 2580.3013W	1000	900	430	910	810	350	265	85	4	30,2	Rollen
HDPE 3317.4013	1000	900	530	910	810	450	365	85	4	32,5	--
HDPE 3317.4013W	1000	900	530	910	810	450	365	85	4	33,1	Rollen
HDPE 4791.6013	1000	900	730	910	810	650	565	85	4	37,1	--



HDPE 2692.2045W



HDPE 4084.5045



HDPE 3586.5012

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 4791.6013W	1000	900	730	910	810	650	565	85	4	37,7	Rollen
HDPE 4828.3044	1000	900	740	910	810	655	265	390	8	39,0	--
HDPE 4828.3044W	1000	900	740	910	810	655	265	390	8	39,6	Rollen
HDPE 4828.4034	1000	900	740	910	810	655	365	290	8	39,4	--
HDPE 4828.4034W	1000	900	740	910	810	655	365	290	8	40,0	Rollen
HDPE 5528.7013	1000	900	830	910	810	750	665	85	4	39,5	--
HDPE 5528.7013W	1000	900	830	910	810	750	665	85	4	40,1	Rollen
HDPE 7039.3074	1000	900	1040	910	810	955	265	690	8	46,4	--
HDPE 7039.3074W	1000	900	1040	910	810	955	265	690	8	47,0	Rollen
HDPE 7039.4064	1000	900	1040	910	810	955	365	590	8	46,8	--
HDPE 7039.4064W	1000	900	1040	910	810	955	365	590	8	47,4	Rollen
HDPE 7039.6044	1000	900	1040	910	810	955	565	390	8	46,5	--
HDPE 7039.6044W	1000	900	1040	910	810	955	565	390	8	47,1	Rollen
HDPE 7039.7034	1000	900	1040	910	810	955	665	290	8	46,7	--
HDPE 7039.7034W	1000	900	1040	910	810	955	665	290	8	47,0	Rollen
HDPE 2898.3013	1000	1000	430	910	910	350	265	85	4	32,1	--
HDPE 2898.3013W	1000	1000	430	910	910	350	265	85	4	32,7	Rollen
HDPE 3726.4013	1000	1000	530	910	910	450	365	85	4	34,8	--
HDPE 3726.4013W	1000	1000	530	910	910	450	365	85	4	35,4	Rollen
HDPE 5383.6013	1000	1000	730	910	910	650	565	85	4	39,9	--
HDPE 5383.6013W	1000	1000	730	910	910	650	565	85	4	40,5	Rollen
HDPE 5424.3044	1000	1000	740	910	910	655	265	390	8	42,2	--
HDPE 5424.3044W	1000	1000	740	910	910	655	265	390	8	42,8	Rollen
HDPE 5424.4034	1000	1000	740	910	910	655	365	290	8	42,3	--
HDPE 5424.4034W	1000	1000	740	910	910	655	365	290	8	42,9	Rollen
HDPE 6211.7013	1000	1000	830	910	910	750	665	85	4	42,5	--
HDPE 6211.7013W	1000	1000	830	910	910	750	665	85	4	43,1	Rollen
HDPE 7908.3074	1000	1000	1040	910	910	955	265	690	8	50,0	--
HDPE 7908.3074W	1000	1000	1040	910	910	955	265	690	8	50,6	Rollen



HDPE 4828.3044W




HDPE 7039.6044



HDPE 6211.7013

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 7908.4064	1000	1000	1040	910	910	955	365	590	8	50,2	--
HDPE 7908.4064W	1000	1000	1040	910	910	955	365	590	8	50,8	Rollen
HDPE 7908.6044	1000	1000	1040	910	910	955	565	390	8	49,9	--
HDPE 7908.6044W	1000	1000	1040	910	910	955	565	390	8	50,5	Rollen
HDPE 7908.7034	1000	1000	1040	910	910	955	665	290	8	50,0	--
HDPE 7908.7034W	1000	1000	1040	910	910	955	665	290	8	50,6	Rollen
HDPE 1112.3010	1100	400	405	1010	310	355	280	75	2	13,3	--
HDPE 1112.3010W	1100	400	405	1010	310	355	280	75	2	13,9	Rollen
HDPE 1470.3010	1100	500	405	1010	410	355	280	75	2	14,9	--
HDPE 1470.3010W	1100	500	405	1010	410	355	280	75	2	15,5	Rollen
HDPE 1884.4010	1110	500	505	1010	410	455	380	75	2	16,4	--
HDPE 1884.4010W	1110	500	505	1010	410	455	380	75	2	17,0	Rollen
HDPE 1848.2015W	1100	700	350	1010	610	300	180	120	4	20,2	Rollen
HDPE 2464.2025W	1100	700	450	1010	610	400	180	220	8	24,0	Rollen
HDPE 2834.3615W	1100	700	510	1010	610	460	340	120	4	23,9	Rollen
HDPE 3450.3625W	1100	700	610	1010	610	560	340	220	8	27,7	Rollen
HDPE 3820.5215W	1100	700	670	1010	610	620	500	120	4	27,9	Rollen
HDPE 4436.5225W	1100	700	770	1010	610	720	500	220	8	31,7	Rollen
HDPE 1222.3010	1200	400	405	1110	310	355	280	75	2	14,4	--
HDPE 1222.3010W	1200	400	405	1110	310	355	280	75	2	15,0	Rollen
HDPE 887.1410	1200	500	245	1110	410	195	120	75	2	13,8	--
HDPE 887.1410W	1200	500	245	1110	410	195	120	75	2	14,4	Rollen
HDPE 1616.3010	1200	500	405	1110	410	355	280	75	2	16,3	--
HDPE 1616.3010W	1200	500	405	1110	410	355	280	75	2	15,9	Rollen
HDPE 1889.1432	1200	500	465	1110	410	415	120	295	4	18,0	--
HDPE 1889.1432W	1200	500	465	1110	410	415	120	295	4	18,6	Rollen
HDPE 1444.2012	1200	600	325	1110	510	255	180	75	4	18,8	--
HDPE 1444.2012W	1200	600	325	1110	510	255	180	75	4	19,4	Rollen
HDPE 1444.3012F	1200	600	425	1110	510	255	180	75	4	20,5	Gabelöffnungen



HDPE 7908.4064



HDPE 1884.4010W



HDPE 1444.3012F

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 2010.3010	1200	600	425	1110	510	355	280	75	4	19,1	--
HDPE 2010.3010W	1200	600	425	1110	510	355	280	75	4	19,7	Rollen
HDPE 2151.2025	1200	600	450	1110	510	380	180	200	8	23,1	--
HDPE 2151.2025W	1200	600	450	1110	510	380	180	200	8	23,7	Rollen
HDPE 2010.4012F	1200	600	525	1110	510	355	280	75	4	22,5	Gabelöffnungen
HDPE 2576.4012	1200	600	525	1110	510	455	380	75	4	21,6	--
HDPE 2576.4012W	1200	600	525	1110	510	455	380	75	4	22,2	Rollen
HDPE 2151.3025F	1200	600	550	1110	510	380	180	200	8	24,8	Gabelöffnungen
HDPE 2717.3025	1200	600	550	1110	510	480	280	200	8	23,4	--
HDPE 2717.3025W	1200	600	550	1110	510	480	280	200	8	24,0	Rollen
HDPE 2576.5012F	1200	600	625	1110	510	455	380	75	4	24,4	Gabelöffnungen
HDPE 3142.5012	1200	600	625	1110	510	555	480	75	4	23,1	--
HDPE 3142.5012W	1200	600	625	1110	510	555	480	75	4	23,7	Rollen
HDPE 3283.2045	1200	600	650	1110	510	580	180	400	8	27,0	--
HDPE 3283.2045W	1200	600	650	1110	510	580	180	400	8	27,4	Rollen
HDPE 2717.4025F	1200	600	650	1110	510	480	280	200	8	26,8	Gabelöffnungen
HDPE 3283.4025	1200	600	650	1110	510	580	380	200	8	25,9	--
HDPE 3283.4025W	1200	600	650	1110	510	580	380	200	8	26,5	Rollen
HDPE 3142.6012F	1200	600	725	1110	510	555	480	75	4	26,4	Gabelöffnungen
HDPE 3283.3045F	1200	600	750	1110	510	580	180	400	8	28,7	Gabelöffnungen
HDPE 3849.3045	1200	600	750	1110	510	680	280	400	8	27,3	--
HDPE 3849.3045W	1200	600	750	1110	510	680	280	400	8	27,9	Rollen
HDPE 3283.5025F	1200	600	750	1110	510	580	380	200	8	28,7	Gabelöffnungen
HDPE 3849.5025	1200	600	750	1110	510	680	480	200	8	27,4	--
HDPE 3849.5025W	1200	600	750	1110	510	680	480	200	8	28,0	Rollen
HDPE 3849.4045F	1200	600	850	1110	510	680	280	400	8	30,7	Gabelöffnungen
HDPE 4416.4045	1200	600	850	1110	510	780	380	400	8	29,8	--
HDPE 4416.4045W	1200	600	850	1110	510	780	380	400	8	30,4	Rollen



HDPE 2010.3010W



HDPE 2717.3025



HDPE 3849.5025

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 3849.6025F	1200	600	850	1110	510	680	480	200	8	30,7	Gabelöffnungen
HDPE 4416.5045F	1200	600	950	1110	510	780	380	400	8	32,6	Gabelöffnungen
HDPE 4982.5045	1200	600	950	1110	510	880	480	400	8	31,3	--
HDPE 4982.5045W	1200	600	950	1110	510	880	480	400	8	31,9	Rollen
HDPE 4982.5045F	1200	600	1050	1110	510	880	480	400	8	34,6	Gabelöffnungen
HDPE 1727.2012	1200	700	325	1110	610	255	180	75	4	20,7	--
HDPE 1727.2012W	1200	700	325	1110	610	255	180	75	4	21,3	Rollen
HDPE 2404.3012	1200	700	425	1110	610	355	280	75	4	22,8	--
HDPE 2404.3012W	1200	700	425	1110	610	355	280	75	4	23,4	Rollen
HDPE 3081.4012	1200	700	525	1110	610	455	380	75	4	24,9	--
HDPE 3081.4012W	1200	700	525	1110	610	455	380	75	4	25,5	Rollen
HDPE 3182.2034	1200	700	540	1110	610	470	180	290	8	27,0	--
HDPE 3182.2034W	1200	700	540	1110	610	470	180	290	8	27,6	Rollen
HDPE 3182.3024	1200	700	540	1110	610	470	280	190	8	27,1	--
HDPE 3182.3024W	1200	700	540	1110	610	470	280	190	8	27,7	Rollen
HDPE 3859.2044	1200	700	640	1110	610	570	180	390	8	29,1	--
HDPE 3859.2044W	1200	700	640	1110	610	570	180	390	8	29,7	Rollen
HDPE 3859.4024	1200	700	640	1110	610	570	380	190	8	29,2	--
HDPE 3859.4024W	1200	700	640	1110	610	570	380	190	8	29,8	Rollen
HDPE 4435.6012	1200	700	725	1110	610	655	580	75	4	32,4	--
HDPE 4435.6012W	1200	700	725	1110	610	655	580	75	4	33,0	Rollen
HDPE 4537.3044	1200	700	740	1110	610	670	280	390	8	31,2	--
HDPE 4537.3044W	1200	700	740	1110	610	670	280	390	8	31,8	Rollen
HDPE 4537.4034	1200	700	740	1110	610	670	380	290	8	31,2	--
HDPE 4537.4034W	1200	700	740	1110	610	670	380	290	8	31,8	Rollen
HDPE 5214.2064	1200	700	840	1110	610	770	180	590	8	35,2	--
HDPE 5214.2064W	1200	700	840	1110	610	770	180	590	8	35,8	Rollen
HDPE 5214.6024	1200	700	840	1110	610	770	580	190	8	36,3	--
HDPE 5214.6024W	1200	700	840	1110	610	770	580	190	8	36,9	Rollen



HDPE 1727.2012W



HDPE 3859.4024



HDPE 5214.2064

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 5891.3064	1200	700	940	1110	610	870	280	590	8	37,3	--
HDPE 5891.3064W	1200	700	940	1110	610	870	280	590	8	37,9	Rollen
HDPE 5891.6034	1200	700	940	1110	610	870	580	290	8	38,7	--
HDPE 5891.6034W	1200	700	940	1110	610	870	580	290	8	39,3	Wheels
HDPE 6568.4064	1200	700	1040	1110	610	970	380	590	8	39,4	--
HDPE 6568.4064W	1200	700	1040	1110	610	970	380	590	8	39,7	Wheels
HDPE 6568.6044	1200	700	1040	1110	610	970	580	390	8	40,8	--
HDPE 6568.6044W	1200	700	1040	1110	610	970	580	390	8	41,4	Wheels
HDPE 4374.5012	1200	800	625	1110	710	555	480	75	4	34,8	--
HDPE 4374.5012W	1200	800	625	1110	710	555	480	75	4	35,4	Wheels
HDPE 4545.4013	1200	1000	530	1110	910	450	365	85	4	40,1	--
HDPE 4545.4013W	1200	1000	530	1110	910	450	365	85	4	40,7	Wheels
HDPE 7576.7013	1200	1000	830	1110	910	750	665	85	4	48,6	--
HDPE 7576.7013W	1200	1000	830	1110	910	750	665	85	4	49,4	Wheels
HDPE 1442.3010	1400	400	405	1310	310	355	280	75	2	16,3	--
HDPE 1442.3010W	1400	400	405	1310	310	355	280	75	2	16,9	Wheels
HDPE 2553.3012	1500	600	425	1410	510	355	280	75	4	25,2	--
HDPE 2553.3012W	1500	600	425	1410	510	355	280	75	4	25,8	Wheels
HDPE 3272.4012	1500	600	525	1410	510	455	380	75	4	27,5	--
HDPE 3272.4012W	1500	600	525	1410	510	455	380	75	4	28,1	Wheels
HDPE 3452.3025	1500	600	550	1410	510	480	280	200	8	30,2	--
HDPE 3452.3025W	1500	600	550	1410	510	480	280	200	8	30,8	Wheels
HDPE 3991.5012	1500	600	625	1410	510	555	480	75	4	29,9	--
HDPE 3991.5012W	1500	600	625	1410	510	555	480	75	4	30,5	Wheels
HDPE 4171.4025	1500	600	650	1410	510	580	380	200	8	32,5	--
HDPE 4171.4025W	1500	600	650	1410	510	580	380	200	8	33,1	Wheels
HDPE 4890.3045	1500	600	750	1410	510	680	280	400	8	35,0	--
HDPE 4890.3045W	1500	600	750	1410	510	680	280	400	8	35,6	Wheels
HDPE 4890.5025	1500	600	750	1410	510	680	480	200	8	34,9	--



HDPE 4545.4013



HDPE 1442.3010




HDPE 4890.3045W

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 4890.5025W	1500	600	750	1410	510	680	480	200	8	35,5	Wheels
HDPE 5609.4045	1500	600	850	1410	510	780	380	400	8	37,3	--
HDPE 5609.4045W	1500	600	850	1410	510	780	380	400	8	37,9	Wheels
HDPE 6328.5045	1500	600	950	1410	510	880	480	400	8	39,7	--
HDPE 6328.5045W	1500	600	950	1410	510	880	480	400	8	40,3	Wheels
HDPE 3913.4012	1500	700	525	1410	610	455	380	75	4	30,8	--
HDPE 3913.4012W	1500	700	525	1410	610	455	380	75	4	31,4	Wheels
HDPE 2734.3012	1600	600	425	1510	510	355	280	75	4	26,9	--
HDPE 2734.3012W	1600	600	425	1510	510	355	280	75	4	27,5	Wheels
HDPE 2695.4012F	1600	600	525	1510	510	350	275	75	4	30,2	Gabelöffnungen
HDPE 2695.4012	1600	600	525	1510	510	455	380	75	4	29,4	--
HDPE 2695.4012W	1600	600	525	1510	510	455	380	75	4	30,0	Wheels
HDPE 3696.3025	1600	600	550	1510	510	480	280	200	8	32,1	--
HDPE 3696.3025W	1600	600	550	1510	510	480	280	200	8	32,7	Wheels
HDPE 3465.5012F	1600	600	625	1510	510	450	375	75	4	32,7	Gabelöffnungen
HDPE 3658.4025F	1600	600	650	1510	510	475	275	200	8	35,4	Gabelöffnungen
HDPE 4467.4025	1600	600	650	1510	510	580	380	200	8	34,6	--
HDPE 4467.4025W	1600	600	650	1510	510	580	380	200	8	35,0	Wheels
HDPE 4428.5025F	1600	600	750	1510	510	575	375	200	8	37,9	Gabelöffnungen
HDPE 11736.4144F	1600	1250	855	1510	1160	670	280	390	8	80,0	Gabelöffnungen
HDPE 11736.5134F	1600	1250	855	1510	1160	670	380	290	8	80,7	Gabelöffnungen
HDPE 13487.4154F	1600	1250	955	1510	1160	770	280	490	8	84,3	Gabelöffnungen
HDPE 13487.5144F	1600	1250	955	1510	1160	770	380	390	8	85,1	Gabelöffnungen
HDPE 13487.6134F	1600	1250	955	1510	1160	770	480	290	8	87,3	Gabelöffnungen
HDPE 15239.5154F	1600	1250	1055	1510	1160	870	380	490	8	89,4	Gabelöffnungen
HDPE 15239.6144F	1600	1250	1055	1510	1160	870	480	390	8	91,7	Gabelöffnungen
HDPE 1772.3010	1700	400	405	1610	310	355	280	75	2	19,6	--
HDPE 1772.3010W	1700	400	405	1610	310	355	280	75	2	20,2	Wheels
HDPE 3968.4012	1800	600	525	1710	510	455	380	75	4	32,1	--



HDPE 2734.3012W



HDPE 4467.4025




HDPE 11736.4144F

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 3968.4012W	1800	600	525	1710	510	455	380	75	4	32,7	Wheels
HDPE 2660.2012	1800	700	325	1710	610	255	180	75	4	30,0	--
HDPE 2660.2012W	1800	700	325	1710	610	255	180	75	4	30,6	Wheels
HDPE 3703.3012	1800	700	425	1710	610	355	280	75	4	32,8	--
HDPE 3703.3012W	1800	700	425	1710	610	355	280	75	4	33,4	Wheels
HDPE 4746.4012	1800	700	525	1710	610	455	380	75	4	35,0	--
HDPE 4746.4012W	1800	700	525	1710	610	455	380	75	4	35,6	Wheels
HDPE 4903.2034	1800	700	540	1710	610	470	180	290	8	38,5	--
HDPE 4903.2034W	1800	700	540	1710	610	470	180	290	8	39,1	Wheels
HDPE 4903.3024	1800	700	540	1710	610	470	280	190	8	38,4	--
HDPE 4903.3024W	1800	700	540	1710	610	470	280	190	8	39,0	Wheels
HDPE 5946.2044	1800	700	640	1710	610	570	180	390	8	41,2	--
HDPE 5946.2044W	1800	700	640	1710	610	570	180	390	8	41,8	Wheels
HDPE 5946.4024	1800	700	640	1710	610	570	380	190	8	40,6	--
HDPE 5946.4024W	1800	700	640	1710	610	570	380	190	8	41,2	Wheels
HDPE 6832.6012	1800	700	725	1710	610	655	580	75	4	46,2	--
HDPE 6832.6012W	1800	700	725	1710	610	655	580	75	4	46,8	Wheels
HDPE 6989.3044	1800	700	740	1710	610	670	280	390	8	43,9	--
HDPE 6989.3044W	1800	700	740	1710	610	670	280	390	8	44,5	Wheels
HDPE 6989.4034	1800	700	740	1710	610	670	380	290	8	43,4	--
HDPE 6989.4034W	1800	700	740	1710	610	670	380	290	8	44,0	Wheels
HDPE 8032.2064	1800	700	840	1710	610	770	180	590	8	52,2	--
HDPE 8032.2064W	1800	700	840	1710	610	770	180	590	8	52,8	Wheels
HDPE 8032.6024	1800	700	840	1710	610	770	580	190	8	51,8	--
HDPE 8032.6024W	1800	700	840	1710	610	770	580	190	8	52,4	Wheels
HDPE 9075.3064	1800	700	940	1710	610	870	280	590	8	54,9	--
HDPE 9075.3064W	1800	700	940	1710	610	870	280	590	8	55,5	Wheels
HDPE 9075.6034	1800	700	940	1710	610	870	580	290	8	54,6	--
HDPE 9075.6034W	1800	700	940	1710	610	870	580	290	8	55,2	Wheels



HDPE 3968.4012W



HDPE 5946.4024




HDPE 8032.2064

Produkt	Außenmaße (mm)			Innenmaße (mm)					Griffe	Gewicht ca. (kg)	Besonderheiten
	Länge	Breite	Höhe	Länge	Breite	Höhe	Boden Höhe	Deckel Höhe			
HDPE 10118.4064	1800	700	1040	1710	610	970	380	590	8	57,0	--
HDPE 10118.4064W	1800	700	1040	1710	610	970	380	590	8	57,6	Wheels
HDPE 10118.6044	1800	700	1040	1710	610	970	580	390	8	57,3	--
HDPE 10118.6044W	1800	700	1040	1710	610	970	580	390	8	57,9	Wheels
HDPE 3639.3012	2100	600	425	2010	510	355	280	75	4	34,3	--
HDPE 3639.3012W	2100	600	425	2010	510	355	280	75	4	34,9	Wheels
HDPE 3588.4012F	2100	600	525	2010	510	350	275	75	4	35,6	Gabelöffnungen
HDPE 3588.4012	2100	600	525	2010	510	455	380	75	4	36,8	--
HDPE 3588.4012W	2100	600	525	2010	510	455	380	75	4	37,4	Wheels
HDPE 4818.3025	2100	600	550	2010	510	470	280	190	8	40,7	--
HDPE 4818.3025W	2100	600	550	2010	510	470	280	190	8	41,3	Wheels
HDPE 4613.5012F	2100	600	625	2010	510	450	375	75	4	38,4	Gabelöffnungen
HDPE 4767.4025F	2100	600	625	2010	510	465	275	190	8	42,0	Gabelöffnungen
HDPE 5843.4025	2100	600	650	2010	510	570	380	190	8	43,2	--
HDPE 5843.4025W	2100	600	650	2010	510	570	380	190	8	43,8	Wheels
HDPE 5792.5025F	2100	600	750	2010	510	565	375	190	8	44,8	Gabelöffnungen
HDPE 4896.4012	2200	600	525	2110	510	455	380	75	4	38,1	--
HDPE 4896.4012W	2200	600	525	2110	510	455	380	75	4	38,7	Wheels
HDPE 10853.3152F	2200	900	825	2110	810	635	170	465	8	86,4	Gabelöffnungen
HDPE 10853.5824F	2200	900	825	2110	810	635	445	190	8	86,5	Gabelöffnungen
HDPE 15553.5852F	2200	900	1100	2110	810	910	445	465	8	99,8	Gabelöffnungen
HDPE 5360.4012	2400	600	525	2310	510	455	380	75	4	45,0	--
HDPE 5360.4012W	2400	600	525	2310	510	455	380	75	4	45,6	Wheels
HDPE 6057.4012	2700	600	525	2610	510	455	380	75	4	52,8	--
HDPE 6057.4012W	2700	600	525	2610	510	455	380	75	4	53,4	Wheels
HDPE 13939.3152F	2800	900	825	2710	810	635	170	465	8	106,6	Gabelöffnungen
HDPE 13939.5824F	2800	900	825	2710	810	635	445	190	8	106,8	Gabelöffnungen
HDPE 19975.5852F	2800	900	1100	2710	810	910	445	465	8	122,8	Gabelöffnungen
28090-5852F	2800	900	1100	2710	810	910	445	465	8	122,8	Gabelöffnungen



HDPE 5843.4025



HDPE 4896.4012W



HDPE 19975.5852F

Gehäuse Gruppe	Rack Model	U Höhe	External Dimensions (mm)			Gehäuse Tiefe	Gewicht	Griffe	Rollen	Druckventil
		U	Höhe	Länge	Breite	mm	kg			
380 mm Gehäuse	HDPE.5U.380	5U	374	676	570	380	17,3	4	Nein	Ja
	HDPE.5U.380.H	5U	374	706	570	380	18,4	6	Ja	Ja
	HDPE.7U.380	7U	463	676	570	380	19,2	4	Nein	Ja
	HDPE.7U.380.H	7U	463	706	570	380	20,3	6	Ja	Ja
480 mm Gehäuse	HDPE.3U.480	3U	285	776	570	480	15,7	4	Nein	Ja
	HDPE.3U.480.H	3U	285	806	570	480	16,9	6	Ja	Ja
	HDPE.5U.480	5U	374	776	570	480	18,4	4	Nein	Ja
	HDPE.5U.480.H	5U	374	806	570	480	19,4	6	Ja	Ja
	HDPE.7U.480	7U	463	776	570	480	20,3	4	Nein	Ja
	HDPE.7U.480.H	7U	463	806	570	480	21,4	6	Ja	Ja
	HDPE.9U.480	9U	552	776	570	480	22,3	4	Nein	Ja
	HDPE.9U.480.H	9U	552	806	570	480	23,4	6	Ja	Ja
	HDPE.11U.480	11U	641	776	570	480	25,3	4	Nein	Ja
	HDPE.11U.480.H	11U	641	806	570	480	26,5	6	Ja	Ja
	HDPE.14U.480	14U	775	776	570	480	29,8	4	Nein	Ja
	HDPE.14U.480.H	14U	775	806	570	480	30,9	6	Ja	Ja



Gehäuse Gruppe	Rack Model	U Höhe	External Dimensions (mm)			Gehäuse Tiefe	Gewicht	Griffe	Rollen	Druckventil
		U	Höhe	Länge	Breite	mm	kg			
610 mm Gehäuse	HDPE.3U.610	3U	285	900	570	610	17,9	4	Nein	Ja
	HDPE.3U.610.H	3U	285	930	570	610	19,1	6	Ja	Ja
	HDPE.5U.610	5U	374	900	570	610	20,3	4	Nein	Ja
	HDPE.5U.610.H	5U	374	930	570	610	21,4	6	Ja	Ja
	HDPE.7U.610	7U	463	900	570	610	22,1	4	Nein	Ja
	HDPE.7U.610.H	7U	463	930	570	610	23,2	6	Ja	Ja
	HDPE.9U.610	9U	552	900	570	610	24,2	4	Nein	Ja
	HDPE.9U.610.H	9U	552	930	570	610	25,3	6	Ja	Ja
	HDPE.11U.610	11U	641	900	570	610	27,5	4	Nein	Ja
	HDPE.11U.610.H	11U	641	930	570	610	28,7	6	Ja	Ja
	HDPE.14U.610	14U	775	900	570	610	31,7	4	Nein	Ja
	HDPE.14U.610.H	14U	775	930	570	610	32,9	6	Ja	Ja
780 mm Gehäuse	HDPE.3U.780	3U	285	1076	570	780	20,4	4	Nein	Ja
	HDPE.3U.780.H	3U	285	1106	570	780	21,7	6	Ja	Ja
	HDPE.5U.780	5U	374	1076	570	780	22,9	4	Nein	Ja
	HDPE.5U.780.H	5U	374	1106	570	780	24	6	Ja	Ja
	HDPE.7U.780	7U	463	1076	570	780	25,4	4	Nein	Ja
	HDPE.7U.780.H	7U	463	1106	570	780	26,5	6	Ja	Ja
	HDPE.9U.780	9U	552	1076	570	780	28,9	4	Nein	Ja
	HDPE.9U.780.H	9U	552	1106	570	780	30	6	Ja	Ja